

No	ITEM WORK	PRODUCT CODE
1	Omnidirectional Antenna 806-960 /1710-2700 Gain min 3 dBi 360 deg. Female Connector With Pigtails min.30cm	NW11-SO3-8/27
2	Omnidirectional Antenna 800-2700 Gain min. 5dBi / 360 deg. Female Connector With Pigtails min.30cm	NW12-SO5-8/27
3	MIMO directional Antenna Gain min. 5dBi / 800-2700Mhz	NW13-MO5-8/27
4	MIMO Panel Antenna (MIMO) Indoor Gain 9 dBi/ 800-2700Mhz	NW14-PMO9-8/27
5	Directional Panel Antenna, 806-960/1710-2700. Gain min. 7dBi/90deg. With Pigtails min.50cm and mounting plate	NW15-PA7-8/27
6	Bidirectional Antenna, 806-960/1710-2700. Gain min. 5 dBi with mounting plate	NW16-BA5-8/27
7	MIMO Microcell Antenna, gain min 14.5 dBi/ 800-2700Mhz	NW17-MM14-8/27
8	Outdoor Sectoral Antenna, 806-960/1710-2700. Gain min 14 dBi with mounting plate	NW18-SA14-8/27
9	Paper Antenna, 824-960/1710-2700. Gain min 3 dBi with mounting plate	NW19-PA14-8/27
10	Multiband 2-way Power Splitter with wall mounting bracket, 200W, 1/2"N-female connectors, 800 - 2700 MHz - Low PIM 155dbc	NW21-S2N5-2-8/27
11	Multiband 3-way Power Splitter with wall mounting bracket, 200W, 1/2"N-female connectors, 800 - 2700 MHz - Low PIM 155dbc	NW22-S3N5-2-8/27
12	Multiband 4-way Power Splitter with wall mounting bracket, 200W, 1/2"N-female connectors, 800 - 2700 MHz - Low PIM 155dbc	NW23-S4N5-2-8/27
13	Multiband 2-way Power Splitter with wall mounting bracket, 200W, 1/2"DIN-female connectors, 800 - 2700 MHz - Low PIM 155dbc	NW24-S2D5-2-8/27
14	Multiband 3-way Power Splitter with wall mounting bracket, 200W, 1/2"DIN-female connectors, 800 - 2700 MHz - Low PIM 155dbc	NW25-S3D5-2-8/27
15	Multiband 4-way Power Splitter with wall mounting bracket, 200W, 1/2"DIN-female connectors, 800 - 2700 MHz - Low PIM 155dbc	NW26-S4D5-2-8/27
16	Multiband 2-way Power Splitter with wall mounting bracket, 200W, 1/2"N-female connectors, 800 - 2700 MHz - Low PIM 160dbc	NW27-S2N6-2-8/27
17	Multiband 3-way Power Splitter with wall mounting bracket, 200W, 1/2"N-female connectors, 800 - 2700 MHz- Low PIM 160dbc	NW28-S3N6-2-8/27
18	Multiband 4-way Power Splitter with wall mounting bracket, 200W, 1/2"N-female connectors, 800 - 2700 MHz - Low PIM 160dbc	NW29-S4N6-2-8/27
19	Multiband 2-way Power Splitter with wall mounting bracket, 200W, 1/2"DIN-female connectors, 800 - 2700 MHz - Low PIM 160dbc	NW210-S2D6-2-8/27
20	Multiband 3-way Power Splitter with wall mounting bracket, 200W, 1/2"DIN-female connectors, 800 - 2700 MHz - Low PIM 160dbc	NW211-S3D6-2-8/27
21	Multiband 4-way Power Splitter with wall mounting bracket, 200W, 1/2"DIN-female connectors, 800 - 2700 MHz- Low PIM 160dbc	NW212-S4D6-2-8/27
22	Hybrid Coupler 2in-1out (wide band) 800 -2700MHz 200 watt, type Connector 1/2"N-female - Low PIM 150dbc	NW31-WB21NF-8/27
23	Hybrid Coupler 2in-2out (wide band) up to 2700MHz 200 watt, type Connector 1/2"N-female - Low PIM 150dbc	NW32-WB22NF-8/27
24	Hybrid Coupler 2in-1out (wide band) up to 2700MHz 200 watt, type Connector 7/16"DIN-female - Low PIM 150dbc	NW33-WB21DF-8/27
25	Hybrid Coupler 2in-2out (wide band) up to 2700MHz 200 watt, type Connector 7/16"DIN-female - Low PIM 150dbc	NW34-WB22DF-8/27
26	DBC CDMA 800 - PCS 1900 MHz (Band Selected) IMD 140 dbc 200 Watt per port, type Connector 1/2 N-female	NW35-DB21NF-8/19
27	DBC CDMA 800 - PCS 1900 MHz (Band Selected) IMD 140 dbc 200 Watt per port, type Connector 7/16"DIN-female	NW36-DB21DF-8/19
28	Diplexer 2in-1out (port-1 800-2200 MHz & port-2 2360-2390 MHz), 200 Watt per port, type Connector 1/2" N-female	NW37-DB21NF-8/24
29	Diplexer 2in-1out (port-1 800-2200 MHz & port-2 2360-2390 MHz), 200 Watt per port, type Connector 7/16" N-female	NW38-DB21DF-8/24
30	Dual Band Combiner, Frequency, 1710/1880-1920/2170Mhz 500 W, type Connector 7/16"DIN-Female - Low PIM 150Dbc	NW39-DB21DF-8/21
31	Dual Band Combiner, Frequency, 800-2170MHz / 2300-2700MHz 250W, type Connector 7/16"DIN-Female - Low PIM 150Dbc	NW310-D21DF-8/27
32	DBC : DCS 2G & WCDMA 3G IMD 150 dbc 500 Watt. Type Connector 1/2"N-female	NW311-DB21NF-15-5W
33	DBC : DCS 2G & WCDMA 3G IMD 150 dbc 500 Watt. Type Connector 7/16"N-female	NW312-DB21DF-15-5W
34	Triplexer 800/900-1710/1880-1920/2170, 500W DIN Type Female Low PIM 150Dbc	NW313-TP31DF-8/21
35	Quad Band Combiner 800 - 2500 Mhz, 500W Din Type Female	NW314-QB41DF-8/25

36	Multi Casting Combiner for 4 In - 1 Out Wideband 800 - 2700 MHz IMD 150 dbc 200 Watt per port, type 1/2"N-female	NW315-MC41NF-8/27
37	Multi Casting Combiner for 4 In - 4 Out Wideband 800 - 2700 MHz IMD 150 dbc 500 Watt per port, type 7/16"DIN-female	NW316-MC44DF-8/27
38	Multi Casting Combiner for 6 In - 4 Out Wideband 800 - 2700 MHz IMD 150 dbc 200 Watt per port, type 1/2"N-female	NW317-MC64NF-8/27
39	Multi Casting Combiner for 4 In - 1 Out Wideband 800 - 2700 MHz IMD 150 dbc 500 Watt per port, type 7/16"DIN-female	NW318-MC41DF-8/27
40	Multi Casting Combiner for 6 In - 4 Out Wideband 800 - 2700 MHz IMD -155 dBC 300 - 500 Watt per port, type 7/16"DIN-female	NW319-MC64DF-8/27
41	Multi Casting Combiner for 6 In - 4 Out Wideband 800 - 2700 MHz IMD 150 dbc 500 Watt per port, type 7/16"DIN-female	NW320-MC64DF150-8/27
42	Multi Network Combiner (POI) for 13 systems IMD 160 dbc 200 Watt	NW321-POI13-200W
43	Multi Network Combiner (POI) for 16 systems IMD 160 dbc 200 Watt	NW322-POI16-200W
44	Quadplexer : CDMA800-GSM / DCS 2G1800 / WCDMA2 3G2100 / LTE2300 IMD 150 dbc 500 Watt. Type Connector 7/16"DIN-female	NW323-QP5W-8/23
45	Multiband 6dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW41-PC6NF2-8/27
46	Multiband 7dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW42-PC7NF2-8/27
47	Multiband 10dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW43-PC10NF2-8/27
48	Multiband 13dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW44-PC13NF2-8/27
49	Multiband 15dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW45-PC15NF2-8/27
50	Multiband 20dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW46-PC20NF2-8/27
51	Multiband 230dB Power Coupler with Wall Mounting Bracket, 200W, 1/2"N-Female Connectors, 800 - 2700 MHz - Low PIM 155dbc	NW47-PC230NF2-8/27
52	Power Terminator (Dummy Load) 25 watt, N-female Connector	NW51-DL25NF
53	Power Terminator (Dummy Load) 50 watt, N-female Connector	NW52-DL50NF
54	Power Terminator (Dummy Load) 100 watt, N-female, Connector	NW53-DL100NF
55	Power Terminator (Dummy Load) 200 watt N-male Connector	NW54-DL200NM
56	Power Terminator (Dummy Load) 10 watt N-male Connector	NW55-DL10NM
57	Power Terminator (Dummy Load) 25 watt N-male Connector	NW56-DL25NM
58	Power Terminator (Dummy Load) 50 watt N-male Connector	NW57-DL50NM
59	Power Terminator (Dummy Load) 100 watt N-male Connector	NW58-DL100NM
60	Power Terminator (Dummy Load) 25 watt, 7/16" DIN-female Connector	NW59-DL25DF
61	Power Terminator (Dummy Load) 50 watt, 7/16" DIN-female Connector	NW510-DL50DF
62	Power Terminator (Dummy Load) 100 watt 7/16" DIN-female Connector	NW511-DL100DF
63	Power Terminator (Dummy Load) 200 watt 7/16" DIN-female Connector	NW512-DL200DF
64	Power Terminator (Dummy Load) 25 watt, 7/16" DIN-male Connector	NW513-DL25DM
65	Power Terminator (Dummy Load) 50 watt, 7/16" DIN-male Connector	NW514-DL25DM
66	Power Terminator (Dummy Load) 100 watt 7/16" DIN-male Connector	NW515-DL25DM
67	Power Terminator (Dummy Load) 200 watt 7/16" DIN-male Connector	NW516-DL25DM
68	N-male to N-male, Straight Adapter	NW517-SANM-NM
69	N-male to N-female, Right angle Adapter	NW518-RANM-NF
70	N-female N-female Straight Adapter	NW519-SANF-NF
71	DIN-male N-female Straight Adapter	NW520-SADM-NF
72	In Line Booster Amplifier	NW521-BA
73	N-male connector for 1/2" feeder cable	NW61-C1/2-NM
74	N-female connector for 1/2" feeder cable	NW62-C1/2-NF
75	N-male connector for 7/8" feeder cable	NW63-C7/8-NM
76	N-female connector for 7/8" feeder cable	NW64-C7/8-NF
77	N-male connector for 1 1/4" feeder cable	NW65-C1/4-NM
78	N-female connector for 1 1/4" feeder cable	NW66-C1/4-NF
79	N-male connector for 1 5/8" feeder cable	NW67-C5/8-NM
80	N-female connector for 1 5/8" feeder cable	NW68-C5/8-NF
81	7/16" DIN-male for 1/2" feeder cable	NW69-C1/2-DM
82	7/16" DIN-female for 1/2" feeder cable	NW610-C1/2-DF
83	7/16" DIN-male for 7/8" feeder cable	NW611-C7/8-DM
84	7/16" DIN-female for 7/8" feeder cable	NW612-C7/8-DF
85	7/16" DIN-male for 1 1/4" feeder cable	NW613-C1/4-DM
86	7/16" DIN-female for 1 1/4" feeder cable	NW614-C1/4-DF

87	7/16" DIN-male for 1 5/8" feeder cable	NW615-C5/8-DM
88	7/16" DIN-female for 1 5/8" feeder cable	NW616-C5/8-DF
89	7/16" DIN-male Right Angle Adapter for 1/2" Superflex feeder cable	NW617-C1/2-DMRS
90	7/16" DIN-female Right Angle for 1/2" Superflex feeder cable	NW618-C1/2-DFRS
91	N-male for 1/2" Superflex feeder cable	NW619-C1/2-NMS
92	N-female for 1/2" Superflex feeder cable	NW620-C1/2-NFS
93	7/16" DIN-male for 1/2" Superflex feeder cable	NW621-C1/2-DMS
94	N (M) to Din (M) Adapter for 1/2" Superflex feeder cable	NW622-A1/2-NMDM
95	N (M) to N (F) Adapter for 1/2" Superflex feeder cable	NW623-A1/2-NMNF
96	DIN (M) RA to N (F) Adapter for 1/2" Superflex feeder cable	NW624-A1/2-DRANF
97	DIN (M) to N (F) Adapter for 1/2" Superflex feeder cable	NW625-A1/2-DMNF
98	N (M) to N (F) Right Angle Adapter for 1/2" Superflex feeder cable	NW626-A1/2-NMNFRA
99	0,3m 1/2" superflexible jumper cable with N-male and N-male Connector	NW71-J03NM-NM
100	0,3m 1/2" superflexible jumper cable with N-male and N-female Connector	NW72-J03NM-NF
101	1m 1/2" superflexible jumper cable with N-male and N-male Connector	NW73-J1NM-NM
102	1m 1/2" superflexible jumper cable with N-male and N-female Connector	NW74-J1NM-NF
103	1m 1/2" superflexible jumper cable with N-male and N-female Connector	NW75-J1NMRA-NF
104	1m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector	NW76-J1NM-DM
105	1m 1/2" superflexible jumper cable with N-female and 7/16" DIN-male Connector	NW77-J1NF-DM
106	1m 1/2" superflexible jumper cable with 7/16" DIN-male and 7/16" DIN-female Connector	NW78-J1DM-DF
107	1m 1/2" superflexible jumper cable with N-male and 7/16" DIN-female Connector	NW79-J1NM-DF
108	1m 1/2" superflexible jumper cable with 7/16" DIN-female and 7/16" DIN-female Connector	NW710-J1DF-DF
109	3m 1/2" superflexible jumper cable with N-male and N-male Connector	NW711-J3NM-NM
110	3m 1/2" superflexible jumper cable with N-male and N-female Connector	NW712-J3NM-NF
111	3m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector, Right Angle Adapter	NW713-J3NM-DMRA
112	3m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector	NW714-J3NM-DM
113	3m 1/2" superflexible jumper cable with N-female and 7/16" DIN-male Connector	NW715-J3NF-DM
114	3m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector, Right Angle Adapter	NW716-J3NM-DMRA
115	3m 1/2" superflexible jumper cable with 7/16"DIN-Male and 7/16" DIN-Male Connector, Right Angle Adapter	NW717-J3DM-DMRA
116	3m 1/2" superflexible jumper cable with 7/16" DIN-male and 7/16" DIN-male Connector	NW718-J3DM-DM
117	5m 1/2" superflexible jumper cable with N-male and N-male Connector	NW719-J5NM-NM
118	5m 1/2" superflexible jumper cable with N-male and N-female Connector	NW720-J5NM-NF
119	5m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector	NW721-J5NM-DM
120	5m 1/2" superflexible jumper cable with N-female and 7/16" DIN-male Connector	NW722-J5NF-DM
121	5m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector, Right Angle Adapter	NW723-J5NM-DMRA
122	5m 1/2" superflexible jumper cable with 7/16"DIN-Male and 7/16" DIN-Male Connector, Right Angle Adapter	NW724-J5DM-DMRA
123	7m 1/2" superflexible jumper cable with N-male and N-male Connector	NW725-J7NM-NM
124	7m 1/2" superflexible jumper cable with N-male and N-female Connector	NW726-J7NM-NF
125	7m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector	NW727-J7NM-DM
126	7m 1/2" superflexible jumper cable with N-female and 7/16" DIN-male Connector	NW728-J7NF-DM
127	7m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector, Right Angle Adapter	NW729-J7NM-DMRA
128	7m 1/2" superflexible jumper cable with 7/16"DIN-Male and 7/16" DIN-Male Connector, Right Angle Adapter	NW730-J7DM-DMRA
129	10m 1/2" superflexible jumper cable with N-male and N-male Connector	NW731-J10NM-NM
130	10m 1/2" superflexible jumper cable with N-male and N-female Connector	NW732-J10NM-NF
131	10m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector	NW733-J10NM-DM
132	10m 1/2" superflexible jumper cable with N-female and 7/16" DIN-male Connector	NW734-J10NF-DM
133	10m 1/2" superflexible jumper cable with N-male and 7/16" DIN-male Connector, Right Angle Adapter	NW735-J10NM-DMRA
134	10m 1/2" superflexible jumper cable with 7/16"DIN-Male and 7/16" DIN-Male Connector	NW736-J10DM-DM
135	10m 1/2" superflexible jumper cable with 7/16"DIN-Male and 7/16" DIN-Male Connector RA	NW737-J10DM-DMRA
136	1/2" Feeder Cable Cooper	NW81-50RF-12 (1/2")
137	7/8" Feeder Cable Cooper	NW82-50RF-22 (7/8")
138	1 1/4" Feeder Cable Cooper	NW83-50RF- 32 (1 ¼")

139	1 5/8" Feeder Cable Cooper	NW84-50RF-42 (1 5/8")
140	1/2" Feeder Cable Aluminum	NW85-50RF-12 (1/2") AL
141	7/8" Feeder Cable Aluminum	NW86-50RF-22 (7/8") AL
142	1 1/4" Feeder Cable Aluminum	NW87-50RF- 32 (1 ¼") AL
143	1 5/8" Feeder Cable Aluminum	NW88-50RF-42 (1 5/8") AL
144	1/2" Superflex Jumper Cable	NW89-RF-S (1/2") PE
145	7/8" Superflex Jumper Cable	NW810-RF-S (7/8") PE
146	1 1/4" Superflex Jumper Cable	NW811-RF-S (1 1/4") PE
147	1 5/8" Superflex Jumper Cable	NW812-RF-S (1 5/8") PE
148	Clamp Outdoor for 1/2" Feeder Cable	NW913-OC2W-1/2
149	Clamp Outdoor 7/8" Feeder Cable	NW914-OC2W-7/8
150	Clamp Outdoor 1 1/4" Feeder Cable	NW915-OC2W- 1 ¼"
151	Clamp Outdoor 1 5/8" Feeder Cable	NW916-OC2W-1 5/8"
152	Grounding Kit for 1/2" Feeder Cable	NW101-GKMT-1/2
153	Grounding Kit 7/8" Feeder Cable	NW102-GKMT-7/8
154	Grounding Kit 1 1/4" Feeder Cable	NW103-GKMT- 1 ¼"
155	Grounding Kit 1 5/8" Feeder Cable	NW104-GKMT-1 5/8"
156	Pigtail LC-FC, 1 fiber, 1m	NW11-PT-1 LCFC